INDEX TO VOLUME XVIII

A

Accipiter cooperi, 7, 210
velox, 34, 75, 162, 210, 223
Actitis macularia, 161, 194, 197, 223, 232
Aechmophorus occidentalis, 23, 222
Aegialitis nivosa, 25, 194, 197
semipalmata, 194, 197
Agelaius phoeniceus californicus, 224, 232
phoeniceus caurinus, 128, 199, 232
tricolor, 28
Aimophila carpalis, 212
Allen, G. M., see Thayer, J. E.
Aluco pratincola, 76, 127, 223
Ammodramus rostratus, 13
savannarum bimaculatus, 84, 86
Anas platyrhynchos, 223
Anatidae, 173
Anhinga anhinga, 24
Ani, 147
Anthus rubescens, 79, 129, 226
spraguei, 129
Aphelocoma californica californica, 199
Aphriza virgata, 203
Appleton, J. S., late nesting of the Arkansas goldfinch, 30
Aquila chrysaetos, 26, 82, 127, 130, 200
Archilochus alexandri, 27, 31, 85
Ardea herodias, 112
herodias hyperonca, 196, 223
herodias treganzai, 116
Arnold, Ralph, and Pemberton, J. R., nesting of the western bluebird at Ventura, California, 86
Arnold, Dr. W. W., a hospital for wild birds, 190
Asio flammeus, 130
wilsonianus, 130
Astragalinus lawrencei, 225
psaltria hesperophilus, 30, 212
tristis salicamans, 77
tristis pallidus, 212
Asturina plagiata, 210
Atkins, Emerson, a nestfull, 201
Auklet, Cassin, 12, 236
Rhinoceros, 236
Avocet, American, 39, 135, 154, 168
Aythya affinis, 35

B

Baeolophus inornatus murinus, 81
wollweberi, 214
Bailey, Florence Merriam, characteristic birds of the Dakota prairies, III, among sloughs and marshes, 14; IV, on the lakes, 54; a populous shore, 100; black-headed grosbeaks eating butter, 201; meeting spring half way, I, 151; II, 183; III, 214
Baldpate, 24, 223
Bangs, O., see Thayer, J. E.
Baynes, Ernest Harold, review of his "wild bird guests," 37
Beal, F. E. L., and economic ornithology in California, 234; photograph of, 235
Bent, A. C., information wanted for the life histories of North American birds, 88; communication from, regarding the life histories, 236
Betts, Norman de W., birds seen in the valley of the south fork of the Flathead River, Montana, 161
Bird, Frigate, 146
Birds, migratory, proposed new regulations for the protection of, 172
Bittern, American, 15, 16, 115, 192, 223
Cory Least, 37
Least, 25, 39
Blackbird, Bi-colored Red-wing, 224
Brewer, 7, 77, 128, 227
Northwestern Red-winged, 199, 232
Red-winged, 128, 187, 189
Yellow-headed, 6, 16, 18, 34, 155, 209
Bluebird, 133, 190
Chestnut-backed, 159
Mountain, 63
Western, 8, 80, 82, 86
Bluejay, 151
Bobolink, 21, 28
Bob-white, 154
Bombycilla cedrorum, 79
Bonasa umbellus, 162
umbellus sabini, 75
umbellus togata, 86
umbellus umbelloides, 86, 166
umbellus yukonensis, 166
Botaurus lentiginosus, 223
Bowles, J. H., a record of the golden plover in the state of Washington, 31; a record of the Forbush sparrow in the state of Washington, 35; the house finch in the state of Washington, 128; another record of the widgeon in the state of Washington, 129; a recent record of the trumpeter swan in the state of Washington, 171; the dwarf screech owl in the state of Washington, 231
Brant, 155
Black, 196
Branta canadensis minima, 194, 196
Brooks, W. S., review of his "notes on birds from East Siberia and Arctic Alaska," 237
Bryan, William Alanson, review of his "natural history of Hawaii," 88

Bryant, H. C., a note on the food of the northern pileated woodpecker, 32; review of McGregor's "birds in their economic relation to man," 89; F. E. L. Beal and economic ornithology in California, 234
Bryant, H. C., and Amy M., peculiar nesting site of the ash-throated flycatcher, 230
Bubo virginianus, 162
virginianus pacificus, 34
virginianus pallescens, 210
virginianus saturatus, 76
Budytes flavus plexus, 237
Bufflehead, 194, 196
Bullfinch, Cuban, 148
Bunting, Indigo, 185
Lark, 154, 185, 203, 205
Lazuli, 6, 225
Snow, 78
Bush-tit, 8
California, 29, 81
Buteo abbreviatus, 157
borealis calurus, 75, 112, 161, 210
lineatus elegans, 194, 197
swainsoni, 26, 169
Butorides virescens anthonyi, 223
virescens maculata, 147
Buzzard, Turkey, 156, 203

C

Calamospiza melanocorys, 203, 205
Callipepla squamata squamata, 210
Calypte anna, 128, 204, 227
costae, 27
Camptostoma imberbe, 129
Canachites franklini, 21, 82, 162
Canvas-back, 54, 108, 194, 195
Caracara, Audubon, 153, 154, 189, 210, 215, 218
Cardinal, 151, 152, 185
Arizona, 157, 158, 160, 213, 218
Cardinalis cardinalis superbus, 157, 213
Carpodacus cassini, 34, 162
mexicanus frontalis, 30, 128, 227
purpureus californicus, 77, 194, 198, 224
Carriger, H. W., and Pemberton, J. R., snakes as nest robbers, 232
Catbird, 22
Cathartes aura septentrionalis, 75, 130, 210
Catherpes mexicanus conspersus, 33
mexicanus punctulatus, 22, 29, 33, 82, 83, 194, 198
Catoptrophorus semipalmatus inornatus, 223
Centurus superciliaris, 147
Cepphus columba, 35, 222
Cerchneis sparverius phalaena, 112
Certhia familiaris montana, 163
Ceryle alcyon, 76, 86
alcyon alcyon, 7, 162, 227
Chaemepelia passerina pallescens, 83, 84, 210, 230
Chaetura vauxi, 26, 76
Chamaea fasciata fasciata, 65
fasciata phaea, 80
Chamberlain, W. J., a golden-crowned sparrow lost on Mount Shasta, 30
Chambers, W. Lee, a new fly trap, 83; decoys used by hunters in slaughtering band-tailed pigeons, 170; hummingbird mistakes scarlet yarn for a flower, 202
Chandler, Asa C, review of his "a study of the structure of feathers, with reference to their taxonomic significance," 207
Charadrius dominicus dominicus, 31
Charitonetta albeola, 194, 196
Chat, Yellow-breasted, 185, 215
Long-tailed, 33
Chaulelasmus streperus, 194, 195, 214
Chen rossi, 194, 196
Chickadee, Bailey, 29
Chestnut-backed, 80, 86, 163
Hudsonian, 163
Long-tailed, 163
Mountain, 11, 163
Oregon, 80
Santa Cruz, 226
Chloridops kona, 89
Chordeiles acutipennis texensis, 26, 169
gunnisoni, 13
virginianus henryi, 162
virginianus hesperis, 34, 76, 179
Cinclus mexicanus unicolor, 29, 80, 163
Circus cyaneus cernuus, 236
hudsonius, 130
Clay, C. I., a new breeding record for California, 205
Coccyzus americanus occidentalis, 84
Colaptes cafer collaris, 82, 85, 112, 162, 227
cafer saturatior, 76
chrysoides mearnsi, 212
Columba fasciata, 75, 110
fasciata fasciata, 169, 232
Columbidae, 173
Columbigallina passerina aflavida, 147
Colymbus dominicus brachypterus, 221
holboelli, 17
nigricollis californicus, 177, 194, 195, 222
Condor, California, 39, 175, 205
Cooper Ornithological Club, directory of members, 136; minutes of, 38, 90, 134, 174, 208, 237
Coot, American, 15, 18, 20, 45, 106, 187, 196, 222, 226
Cormorant, Baird, 69
Double-crested, 123
Farallon, 100, 105, 106, 210, 223

Corvus brachyrhynchos hesperis, 28, 77
corax sinuatus, 28, 77, 112, 162, 224
cryptoleucus, 209
Cowbird, 148, 154, 162, 189, 215
Dwarf, 28, 204
Red-eyed, 218
Crane, Little Brown, 39
Sandhill, 39
Whooping, 218, 228
Creciscus coturniculus, 58
Creeper, Black and White, 189
Rocky Mountain, 163
Crossbill, American, 77, 224
White-winged, 162
Crotophaga ani, 147
Crow, Clarke, 5, 62
Western, 28, 77
Cryptiformes, 207
Cryptoglaux acadica, 130
Cuckoo, California, 83, 84
Cuban Lizard, 147
Yellow-billed, 185
Curlew, Long-billed, 39, 188, 204
Cyanocephalus cyanocephalus, 28
Cyanocitta stelleri annectens, 162
stelleri carbonacea, 77, 199
stelleri frontalis, 28, 34, 199
Cynanthus latirostris, 159, 212

D

Dabchick, 100, 187
Dafila acuta, 24, 34, 167, 178
Dawson, William Leon, a personal supplement to the distributional list of the birds of California, 22; auburn canyon wren: a preferable name for Catherpes mexicanus punctulatus, 33; the new museum of comparative oology, 68
Dendragapus obscurus fuliginosus, 75
obscurus richardsoni, 21
obscurus sierrae, 28
Dendrocygna bicolor, 25
Dendroica aestiva brewsteri, 79
auduboni auduboni, 79, 168, 225
occidentalis, 79
townsendi, 79
Dickcissel, 154, 183, 184, 218
Dickey, Donald R., the shadow boxing of Pipilo, 93
Dipper, American, 7, 10, 29, 80, 162, 231
Directory of members of the Cooper Ornithological Club, 136
Dixon, Joseph, Mexican ground dove, western grasshopper sparrow, and California cuckoo at Escondido, San Diego County, California, 83
Dolichonyx oryzivorus, 21, 28
Dove, Cuban Ground, 147
Inca, 210
Mexican Ground, 83, 84, 210, 214, 230
Mourning, 152, 154, 156, 175, 183, 184, 185, 188, 189, 218
Western Mourning, 210
White-winged, 157, 190, 210, 214, 215, 218, 230
Zenaida, 147
Dowitcher, 188
Long-billed, 194, 197
Drepanididae, 89
Dryobates pubescens gairdneri, 76
villosus harrisi, 76
villosus monticola, 162
Duck, Black-bellied Tree, 218
Canvas-back, 81
Fulvous Tree, 25
Greater Scaup, 194, 195
Harlequin, 237
Lesser Scaup, 194, 196, 223
Ring-necked, 25, 85
Ruddy, 18, 20, 45, 167, 196, 223
Scaup, 35, 45, 55, 56
Tree, 155
Wood, 39, 55, 88
Dumetella carolinensis, 22

E

Eagle, Bald, 75, 162, 201
Golden, 26, 82, 127, 200
Southern Bald, 39
White-headed, 4
Editorial Notes and News, 36, 87, 131, 172, 206, 234
Egret, 147
American, 91, 194, 196
Snowy, 39, 91, 155, 194, 196
Egretta candidissima candidissima, 194, 196
Empidonax difficilis difficilis, 77, 221
griseus, 212
hammondi, 85
trailli trailli, 27, 77, 194, 197
wrighti, 180
Ereunetes mauri, 171, 194, 197
Erismatura jamaicensis, 167, 223
Euphagus cyanocephalus, 77, 128, 227
Evermann, Barton Warren, another record of the wood ibis in California, 231

F

Falco columbarius columbarius, 197
columbarius richardsoni, 194, 197
dominicensis, 147
mexicanus, 26, 34
peregrinus anatum, 26, 75
sparverius, 130, 162
sparverius phalaena, 76, 210
Falcon, Prairie, 26, 34, 111
Finch, California Purple, 77, 194, 198, 224
Cassin Purple, 12, 34, 162
Commander Island Rosy, 237

House, 6, 30, 128, 227
Lark, 8
Fisher, W. K., review of Bryan's "natural history of Hawaii," 88
Flicker, Boreal, 39
Mearns Gilded, 212
Northwestern, 76
Red-shafted, 4, 11, 82, 85, 162, 190, 227
Florida coerulea coerulescens, 147
Flycatcher, Arkansas, 6
Ash-throated, 21, 27, 230
Beardless, 129
Crested, 230
Mexican Crested, 216
Olive-sided, 27, 77
Say, 6
Scissor-tailed, 153, 154, 188, 208, 215
Traill, 27, 28, 77, 194, 197
Vermilion, 156, 183, 189, 212, 231
Western, 77, 159, 227
Wright, 180, 181
Fregata aquila, 146
Frigate bird, 146
Fulica americana, 226

G

Gadwall, 15, 54, 194, 195, 214
Galliformes, 207
Gallinago delicata, 25, 168, 210
Gallinule, 187, 196
Florida, 222
Gavia immer, 23, 222
Gaviidae, 69
Geococcyx californianus, 203, 211, 227
Geothlypis trichas arizela, 79
trichas occidentalis, 163
trichas sinuosa, 225
Gilbert, C. H., nature of the occurrence of the rose-breasted grosbeak in Humboldt County, California, 81
Glaucidium gnoma californicum, 163
gnoma grinnelli, 26
gnoma ridgwayi, 211
siju, 147
Gnatcatcher, Western, 157, 160
Godwit, Marbled, 35, 100, 102, 103, 104, 105, 106, 107
Golden-eye, 16, 54
Barrow, 39
Goldfinch, Arkansas, 6, 30
Green-backed, 212
Lawrence, 12, 225
Pale, 212
Willow, 77
Goose, Cackling, 39, 194, 196, 228
Canada, 58
Emperor, 32
Hutchins, 39
Ross Snow, 194, 196
White-fronted, 39
Goshawk, Mexican, 210
Grassquit, Melodious, 210
Grebe, American Eared, 177, 187, 221, 222
Eared, 17, 18, 100, 114, 194, 195
Holboell, 16, 18
Horned, 17, 18
Mexican, 218
Pied-billed, 17, 20, 167, 195, 222
San Domingo, 221
Western, 16, 23, 222
Grey, Henry, Mexican ground dove at San Diego, 83
Grinnell, Joseph, a new ruffed grouse from the Yukon valley, 166; review of Thayer's, Bangs' and Allen's "notes on the birds and mammals of the Arctic coast of East Siberia," 236; review of W. Sprague Brooks' "notes on birds from East Siberia and Arctic Alaska," 237; review of F. Seymour Hersey's "a list of birds observed in Alaska and northeastern Siberia during the summer of 1914," 237
Grosbeak, Black-headed, 7, 78, 190, 201
Blue, 187, 189
Pacific Black-headed, 233
Rocky Mountain Pine, 21, 162
Rose-breasted, 81
Western Evening, 159, 200, 204
Grouse, Canada Ruffed, 86
Dusky, 6
Franklin, 5, 21, 82, 162
Oregon Ruffed, 75
Richardson, 21
Ruffed, 162
Sage, 6
Sharp-tailed, 5
Sierra, 28
Sooty, 75
Yukon Ruffed, 166
Guillemot, Pigeon, 35, 222, 236
Gull, Bonaparte, 24, 49, 100, 104
California, 47, 116, 117, 118, 223
Franklin, 15, 57, 58
Glaucous, 47
Glaucous-winged, 47
Herring, 47
Heermann, 13, 105
Laughing, 228
Ring-billed, 47, 57, 100, 116, 117, 118, 194, 195
Sabine, 24
Short-billed, 49
Western, 47, 104, 105, 110, 222
Gruidae, 173
Gymnogyps californianus, 205

H

Haliaeetus leucocephalus leucocephalus, 75, 162, 201

Hansen, Harold E., the western robin nesting in Golden Gate Park, San Francisco, 170; Alaska water-thrush in Marin County, California, 231
Harelda hyemalis, 85
Hawk, Cooper, 75, 111, 156, 160, 210
Cuban Sparrow, 147
Desert Sparrow, 76, 210
Duck, 26, 75
Ferruginous Rough-legged, 11, 39
Fish, 197, 215
Harris, 26, 127, 154, 185, 189, 210, 231
Marsh, 55, 130, 154
Red-bellied, 194, 197
Richardson Pigeon, 194, 197
Sennett, 184, 189
Sharp-shinned, 34, 75, 162, 210, 223
Sparrow, 57, 113, 130, 162
Swainson, 26, 63, 162, 169, 184, 189
Western Red-tail, 63, 75, 210
Zone-tailed, 156, 157, 158, 160
Heleodytes brunneicapillus couesi, 213
Helodromas solitarius cinnamomeus, 162
Henderson, Junius, house finch or linnet? 30; marbled godwit in Colorado, 35
Herodias egretta, 194, 196
Heron, Anthony Green, 223
Antillean Green, 147
Black-crowned Night, 14, 20, 21, 54, 69, 83, 186, 223
California Great Blue, 223
Great Blue, 21, 113, 114, 116, 117, 118, 122, 123, 155
Little Blue, 147
Herron, R. B., lark bunting at Cabezon, California, 205
Hersey, F. S., review of his "a list of the birds observed in Alaska and northeastern Siberia during the summer of 1914," 237
Hesperiphona vespertina montana, 200, 204
Himantopus mexicanus, 25, 168, 230
Hirundo erythrogaster, 29, 79, 169
Histrionicus histrionicus pacificus, 237
Holden, F. Harvey, cleaning skulls and skeletons: a supplementary note, 231
Holland, Harold M., an unusual nest addition, 31
Holleman, Ridley, and Quillin, Roy W., the San Domingo grebe in Bexar County, Texas, 221
Howell, A. B., auburn canyon wren: an objection, 82; some results of a winter's observations in Arizona, 209
Huey, Laurence M., the Farallon rails of San Diego county, 58
Hummingbird, Allen, 130, 227
Anna, 128, 204, 227
Black-chinned, 27, 31, 85, 114, 202
Broad-billed, 156, 159, 212
Broad-tailed, 21, 130
Calliope, 179, 190
Costa, 156, 157, 160
Rufous, 4, 76, 130
Hydrochelidon nigra surinamensis, 24, 85
Hylocichla, 133
Hylocichla aliciae aliciae, 237
guttata auduboni, 22, 159
guttata guttata, 80
guttata sequoiensis, 28, 34, 182
guttata slevini, 232
ustulata ustulata, 80, 227

I

Ibis, White-faced Glossy, 230
Wood, 231
Icteria virens longicauda, 33
Icterus cucullatus nelsoni, 194, 198, 212
hypomelas, 148
parisorum, 129, 202
Iridoprocne bicolor, 79, 212
Ixobrychus exilis, 25
Ixoreus naevius meruloides, 163
naevius naevius, 22, 80, 200

J

Jackdaw, 183, 187, 188, 189, 215
Jaeger, Long-tailed, 203
Pomarine, 202
Jay, Arizona, 156
Black-headed, 162
Blue-fronted, 28, 34
California, 11, 199
Coast, 77, 199
Green, 215
Long-crested, 159
Oregon, 77
Pinyon, 28
Rocky Mountain, 162
Jewett, Stanley G., new and interesting bird records from Oregon, 21; notes on some land birds of Tillamook County, Oregon, 74
Junco, 163
Arizona, 159
Montana, 86
Oregon, 8, 78
Point Pinos, 225
Sierra, 28, 202, 232
Slate-colored, 21
Junco connectens, 212
hyemalis connectens, 22, 89
hyemalis hyemalis, 21
hyemalis mearnsi, 163
hyemalis montanus, 86
hyemalis oreganus, 78
oreganus pinosus, 225
oreganus thurberi, 28, 202, 225, 232

K

Killdeer, 25, 55, 116, 188, 223, 230

Kingbird, 83, 153, 154, 162
Arkansas, 212
Cassin, 27, 128, 205
Cuban, 148
Eastern, 27
Western, 27, 169, 205, 224
Kingfisher, Belted, 4, 76, 86, 100, 162, 227
Kinglet, Golden-crowned, 163
Ruby-crowned, 22, 82, 129, 159, 160
Sitka, 80
Western Golden-crowned, 30, 80
Kite, White-tailed, 218
Kittiwake, Pacific, 203

L

Lagopus lagopus albus, 237
lagopus koreni, 236
Lanius ludovicianus gambeli, 112
Lanivireo solitarius cassini, 79
solitarius solitarius, 129
Lark, California Horned, 112, 113, 227
Horned, 155, 189, 193
Streaked Horned, 77
Larus brachyrhynchus, 49, 171
californicus, 47, 223, 237
delawarensis, 47, 116, 194, 195, 237
glaucescens, 23, 47
hyperboreus, 23, 47
occidentalis, 47, 222, 237
philadelphia, 24
thayeri, 237
Law, J. Eugene, slight extension of range of San Diego titmouse, 81; odd performance of a flicker with a malformed bill, 85
Leptostoma longicauda, 12
Leucosticte griseonucha maxima, 237
Limosa fedoa, 35
Limicolae, 69
Linnet, 30, 98, 203
Lobipes lobatus, 25, 168, 223
Longspur, Chestnut-collared, 8
Loon, Common, 23, 69, 107, 222
Lophortyx californica vallicola, 168, 201
gambeli, 12, 210
Loxia curvirostra minor, 77, 224
curvirostra sitkensis, 237
leucoptera, 162
Lunda cirrhata, 222, 232

M

Macrorhamphus griseus scolopaceus, 194, 197
Magpie, Yellow-billed, 8, 39, 175
Mailliard, John W., the old-squaw in west-central California, 85; shearwaters on San Francisco Bay, 30; pomarine jaeger in San Francisco Bay, 202; notes on the dark-bodied shearwater, 232
Mailliard, Joseph, sea gulls at the Panama-Pacific international exposition, 41; some bird notes from Humboldt Bay, 198; Caspian tern in the San Joaquin valley, 228
Mallard, 20, 223
Mareca americana, 24, 223
penelope, 129
Marila affinis, 194, 196, 223
collaris, 25, 85
marila, 194, 195
valisineria, 81, 194, 195
Martin, Bee, 83
Purple, 152, 216
Western, 29, 225
McGregor, Richard C., review of his "birds in their economic relation to man," 89
McLean, Donald D., nesting habits of the Virginia rail in Mariposa County, California, 229
Meadowlark, 107, 183, 219
Western, 34, 77, 190, 192, 212, 227
Melanerpes albolarvatus, 12
Melopelia asiatica, 210, 230
Melopyrrha nigra, 148
Melospiza georgiana, 129, 213
lincolni, 28
lincolni striata, 34, 35, 213
melodia caurina, 78
melodia cleonensis, 199
melodia fallax, 213
melodia fisherella, 194, 198
melodia heermanni, 198
melodia melodia, 129
melodia merrilli, 86
melodia montana, 213
melodia morphna, 78
Merganser, American, 127, 162, 194, 195
Red-breasted, 232
Mergus americanus, 127, 162, 194, 195
serrator, 232
Micropallas whitneyi, 211
Migratory birds, proposed new regulations for the protection of, 172
Mimocichla rubripes schistacea, 150
Mimus polyglottos orpheus, 150
polyglottos leucopterus, 226
Minutes of Cooper Club meetings, 38, 90, 134, 174, 208, 237
Mitchell, H. H., concerning vernacular names of Passer domesticus, 82
Mockingbird, 151, 152, 154, 185, 188, 189, 215, 216, 218
Cuban, 150
Mountain, 8
Western, 93, 98, 226
Molothrus ater ater, 162
ater obscurus, 28, 204
Muller, Carl S., occurrence of emperor goose in northern California, 32

Murre, California, 222
Murrelet, Xantus, 236
Myadestes townsendi, 28, 32, 34, 181, 182
Mycteria americana, 231
Myers, Harriet Williams, the coming of the cowbird, 204
Myiarchus cinerascens, 230
cinerascens cinerascens, 21, 27
crinitus, 230
Myiochanes richardsoni richardsoni, 77

N

Nannus hiemalis pacificus, 80, 163
hiemalis semidiensis, 237
Newberry, Walter C., a chapter in the life history of the wren-tit, 65
Nighthawk, 154, 183, 189
Henry, 13
Pacific, 34, 76, 179
Texas, 26, 169
Western, 162
Nucifraga columbiana, 62, 159, 162
Numenius americanus, 204
Nutcracker, Clarke, 62, 159, 162
Nuthatch, Pygmy, 11, 159
Red-breasted, 28, 80, 163
Nuttallornis borealis, 27, 77
Nyctea nyctea, 130
Nyctidromus albicollis merrilli, 129

O

Oceanodroma furcata, 205
homochroa, 24, 33, 83
kaedingi, 232
melania, 33
Oidemia americana, 83, 108, 203
deglandi, 35, 223
deglandi dixoni, 237
perspicillata, 223
Old-squaw, 85
Olor buccinator, 171
columbianus, 171
Oporornis tolmiei, 79, 124
Oreortyx picta picta, 74
picta plumifera, 34, 173
Oreoscoptes montanus, 29, 194, 198
Oreospiza chlorura, 129, 194, 198
Oriole, Arizona Hooded, 194, 198, 212
Bullock, 7, 215
Cuban, 148
Orchard, 154
Scott, 129, 202
Sennett, 215, 218
Osprey, American, 26, 130, 194, 197, 223, 232
Otocoris alpestris actia, 112, 113, 227
alpestris strigata, 77
Otocorys alpestris euroa, 237
Otus asio, 162
asio asio, 130
asio cinerascens, 164, 211
asio gilmani, 163, 211
asio kennicotti, 76
asio macfarlanei, 82
flammeolus idahoensis, 231
Ovenbird, 185
Owl, American Barn, 76, 127, 223
Burrowing, 6, 128, 130, 224
Coast Pygmy, 26
Cuban Pygmy, 147
Dusky Horned, 76
Dwarf Screech, 231
Elf, 211
Kennicott Screech, 76
Long-eared, 130
Macfarlane Screech, 82
Northern Spotted, 76, 127
Pacific Horned, 34
Pygmy, 158, 211
Sahuaro Screech, 163, 211
Saw-whet, 39, 82, 130
Screech, 130, 162, 228
Short-eared, 130
Snowy, 130
Spotted, 233
Western Horned, 162, 210
Oxyechus vociferus, 116
vociferus vociferus, 25, 223, 230

P

Palmer, R. H., a visit to Egg and Hat islands, Great Salt Lake, 113
Pandion haliaetus, 130
haliaetus carolinensis, 26, 162, 194, 197, 223, 232
Parabuteo unicinctus harrisi, 26, 127, 210, 231
Parrot, Mexican, 155
Partridge, Plumed, 173
Passer domesticus, 82, 83, 202, 210, 227
Passeres, 69
Passerina amoena, 225
Passerella iliaca megarhyncha, 28
iliaca sinuosa, 78
iliaca stephensi, 180
iliaca townsendi, 78
Passerculus sandwichensis alaudinus, 78, 86, 163, 228
sandwichensis bryanti, 199, 225, 228
sandwichensis nevadensis, 86, 212
Parauque, 215
Pelican, California Brown, 39, 107
Brown, 146, 155
White, 24, 114, 116, 117, 119, 120, 121, 189
Pelecanus erythrorhynchos, 24, 116
occidentalis, 145
Pelidna alpina alpina, 237
alpina pacifica, 237
alpina sakhalina, 25, 237
Pemberton, J. R., and Arnold, Ralph, nesting of the western bluebird at Ventura, California, 86

Pemberton, J. R., variation of the broken-wing stunt by a roadrunner, 203; nesting of the Leconte thrasher, 219; grammatical errors in vernacular names, 227
Pemberton, J. R., and Carriger, H. W., snakes as nest robbers, 233
Penthestes atricapillus occidentalis, 80
atricapillus septentrionalis, 163
gambeli baileyae, 29
gambeli gambeli, 163
hudsonicus hudsonicus, 163
rufescens barlowi, 226
rufescens rufescens, 80, 86, 163
Perisoreus canadensis capitalis, 162
obscurus obscurus, 77
Petrel, Ashy, 24, 33, 39
Black, 33
Coues, 33, 83
Fork-tailed, 205
Kaeding, 232
Petrochelidon lunifrons, 227
lunifrons lunifrons, 78, 163, 169
Peucaea cassini, 129, 154
Pewee, Wood, 153, 189, 214
Western Wood, 77
Phainopepla, 158, 230
Phalacrocorax auritus albociliatus, 210, 223
auritus auritus, 123
Phalaenoptilus nuttalli californicus, 194, 197
nuttalli nuttalli, 85
Phalarope, Northern, 25, 168, 223
Red, 223
Wilson, 194, 196, 218
Phalaropus fulicarius, 223
Phoebe, 107, 153
Black, 7, 180
Phloeotomus pileatus abieticola, 32, 76, 162
Pierce, Wright M., notes from the San Bernardino Mountains, California, 34; ring-necked duck near Corona, Riverside County, California, 85; more bird notes from Big Bear Valley, San Bernardino Mountains, California, 177; spotted owl from San Gabriel Canyon, Los Angeles County, California, 233
Picoides americanus dorsalis, 86, 162
americanus fasciatus, 86
arcticus, 162
Pigeon, Band-tailed, 6, 8, 75, 111, 169, 170, 232
Passenger, 114, 170
Pinicola enucleator montana, 21, 162
Pintail, 24, 34, 178
Pipilo aberti, 210
crissalis crissalis, 225
crissalis senicula, 95
maculatus megalonyx, 201
maculatus oregonus, 78
Pipit, American, 79, 129, 155, 226
Sprague, 129
Piranga ludoviciana, 78, 225, 232
Pisobia bairdi, 25, 171
maculata, 25
minutilla, 197
Planesticus migratorius caurinus, 237
migratorius propinquus, 80, 81, 163, 170, 226
Plectrophenax nivalis nivalis, 78
Plegadis guarauna, 230
Plover, Black-bellied, 32, 83, 237
Golden, 31, 32
Grey, 83
Mountain, 26, 168
Rocky Mountain, 8
Semipalmated, 194, 197
Snowy, 25, 103, 104, 107, 194, 197
Upland, 154, 183, 188
Podasocys montanus, 26, 168
Podicipedidae, 69
Podilymbus podiceps, 167, 222
Polyborus cheriway, 210
Pooecetes gramineus affinis, 77
Poorwill, 85, 155, 156
Dusky, 194, 197
Porzana carolina, 61, 178, 194, 196, 223, 230
Priotelus temnurus, 147
Progne subis hesperia, 29, 225
Psaltriparus minimus californicus, 29
minimus minimus, 81
Puffin, Tufted, 222, 232, 236
Puffinus griseus, 30, 232
tenuirostris, 203
Pyrrhuloxia, 154
Arizona, 213, 218
Pyrrhuloxia sinuata sinuata, 213
Pyrocephalus rubinus mexicanus, 212, 231

Q

Quail, California Valley, 4, 88, 168, 201, 229
Gambel, 11, 210
Mountain, 74
Painted, 39
Plumed, 34
Scaled, 210
Querquedula cyanoptera, 167, 178, 230
discors, 24
Quillin, Roy W., and Holleman, Ridley, the San Domingo grebe in Bexar County, Texas, 221

R

Rail, Black, 62
Clapper, 33, 228
Farallon, 58, 59, 60, 61
Light-footed, 33
Sora, 15, 19, 61, 178, 223, 230
Virginia, 223, 229
Rallidae, 173

Rallus levipes, 33
virginianus, 223
Raven, 77, 162
Western, 28, 39, 224
White-necked, 209
Ray, Milton S., more summer birds for San Francisco County, 222
Recurvirostra americana, 168
Redhead, 20
Redstart, 22, 218
Painted, 159, 213
Red-tail, Western, 113, 162, 210
Red-wing, Tri-colored, 8, 28
Regulus calendula, 82, 160
calendula calendula, 22
calendula grinnelli, 80
satrapa, 163
satrapa olivaceus, 80
Rhea, Patagonian, 203
Rhea darwini, 203
Richards, Dr. T. W., breeding of Tiaris canora and other species from the U. S. naval station, Guantanamo Bay, Cuba, 145
Richmond, Chas. W., an early record of the american scoter for California, 83
Riparia riparia, 225
Rissa tridactyla pollicaris, 203
Roadrunner, 7, 154, 203, 211, 215, 227
Robin, 133, 190, 191
Western, 80, 81, 163, 170, 226
Rossem, Adrian van, notes from Goleta, Santa Barbara County, California, 171; breeding of the Scott oriole in Los Angeles County, California, 202
Rough-leg, Ferruginous, 11, 39
Rust, Henry J., additional notes on the birds of Kootenai County, Idaho, 81

S

Sage-hen, 5
Salpinctes obsoletus obsoletus, 80
Sanderling, 103, 104, 105, 110
Sapsucker, Northern Red-breasted, 76
Red-breasted, 4
Red-naped, 162
Sierra, 179
Sierra Red-breasted, 128
Williamson, 12
Sandpiper, Baird, 171
Buff-breasted, 188
Pectoral, 25, 39
Red-backed, 25
Solitary, 183, 186, 188
Spotted, 162, 194, 197, 215, 223, 232
Western, 83, 171, 188, 194, 197
Western Solitary, 162
Saunders, Aretas A., a note on the food of the western robin, 81; plumage of the young male red-shafted flicker, 82; additions and changes to the summer birds of Flathead Lake, Montana, 85
Saurothera merlini, 147
Sayornis nigricans, 180
Scardafella inca, 180
Schussler, George W., the pigeon guillemot nesting in San Francisco, 35
Scoter, American, 39, 83, 108, 203
Surf, 108, 109, 110, 223
White-winged, 35, 55, 56, 108, 223, 237
Seedeater, 129
Seiurus noveboracensis notabilis, 231
Selasphorus alleni, 204, 227
platycercus, 21, 130
rufus, 76
Setophaga ruticilla, 23
picta, 213
Shearwater, 30
Dark-bodied, 232
Slender-billed, 203
Shepardson, D. I., the coloration of eggs, 35
Shoveler, 85, 154, 167, 186, 188, 214
Sialia mexicana occidentalis, 80, 82, 86
occidentalis, 12
Siskin, Pine, 77, 163, 225
Sitta canadensis, 80, 163
pygmea, 12
Skimmer, Black, 155
Skinner, M. P., the nutcrackers of the Yellowstone Park, 62
Smith, Austin Paul, winter notes from southern Texas, 129
Smith, Franklin J., occurrence of the condor in Humboldt County, 205
Snipe, Wilson, 25, 168, 210
Solitaire, Townsend, 28, 32, 33, 34, 133, 181
Sora, 194, 196
Sparrow, Belding, 107
Bell, 12, 27
Black-chinned, 27, 233
Brewer, 212
Bryant Marsh, 199, 225, 228
Cassin, 154, 189, 215
Desert, 154, 218
English, 38, 82, 83, 93, 202, 210, 216
European, 82, 227
Forbush, 35, 39
Gambel, 203
Golden-crowned, 4, 30, 78
Grasshopper, 154
House, 83, 193, 202
Lark, 6, 154, 189
Lincoln, 28, 34, 154, 212
Mendocino Song, 199
Merrill Song, 194, 198
Modoc Song, 194, 198
Nelson, 20, 21
Nevada Savannah, 212
Nuttall, 78
Oregon Vesper, 77
Pine-woods, 154

Rufous-winged, 212, 213
Rusty Song, 78
Sage, 212
Savannah, 84
Song, 107, 204, 228
Stephens Fox, 180
Swamp, 213
Thick-billed, 28
Townsend Fox, 78
Valdez Fox, 78
Western Chipping, 78, 213, 225
Western Grasshopper, 83, 84, 86
Western Lark, 152
Western Savannah, 78, 86, 163
White-crowned, 28, 154
White-throated, 29, 39, 153, 154
Yakutat Song, 78
Spatula clypeata, 85, 167
Speotyto cunicularia hypogaea, 128, 130, 224
Sphyrapicus ruber notkensis, 76
varius daggetti, 128, 179
varius nuchalis, 162
Spinus pinus, 77, 163
pinus pinus, 225
Spizella breweri, 212
passerina arizonae, 225
socialis arizonae, 78
Spoonbill, Roseate, 147, 155
Sporophila morelleti sharpei, 129
Squatarola squatarola, 32
squatarola cynosurae, 237
Squires, W. A., nesting of the western robin in San Francisco County, 170; sierra junco in Golden Gate Park, 202; are there two forms of the Bryant marsh sparrow in San Francisco County? 228; some field notes from western Sonoma County, California, 232
Starling, Red-winged, 10
Steganopus tricolor, 171, 194, 196
Sterna aleutica, 237
antillarum, 24
caspia, 24, 116, 194, 195, 228
forsteri, 167, 195
hirundo, 194, 195, 197
Stellula calliope, 27, 179, 180
Stephens, Frank, the Scott oriole at San Diego, 129
Stercorarius longicaudus, 203
pomarinus, 202
Stilt, Black-necked, 25, 154, 168, 188, 230
Stone, Witmer, Philadelphia to the coast in early days, and the development of western ornithology prior to 1850, 3
Storer, Tracy I., review of some publications of the Bureau of Biological Survey during 1915, 133; the vernacular name of Passer domesticus in North America, 202
Strix occidentalis caurina, 76, 127
occidentalis occidentalis, 233
Strong, R. M., review of Chandlers' "a study of the structure of feathers," 207
Sturnella neglecta, 34, 77, 212, 227
Surf-bird, 102, 103, 104, 106, 107, 203
Swallow, Bank, 225, 227
Barn, 79, 169, 189, 216
Cliff, 78, 163, 169, 216, 227
Northern Violet-green, 79
Tree, 79, 212
Swan, Trumpeter, 171, 228
Whistling, 5, 39, 171, 228
Whooping, 228
Swarth, H. S., Townsend solitaire in the San Jacinto Mountains, 32; the broad-tailed hummingbird in California, 130; the Sahuaro screech owl as a recognizable race, 163
Swift, Vaux, 8, 26, 76, 162

T

Tachycineta thalassina lepida, 79
Taylor, Walter P., review of Baynes' "wild bird guests," 37; notice in regard to the California associated societies for the conservation of wild life, 132
Tanager, Louisiana, 5, 82
Summer, 83, 215
Western, 78, 82, 225, 232
Teal, Blue-winged, 16, 18, 20, 24, 54
Cinnamon, 167, 178, 230
Telford, Harry, white-winged scoter in Klamath County, Oregon, 35
Telmatodytes palustris paludicola, 226
Tern, Black, 19, 20, 24, 56, 85, 218
Black-headed, 15
Caspian, 24, 115, 116, 117, 118, 120, 122, 194, 195, 228
Common, 57, 194, 195
Elegant, 11
Forster, 167
Least, 24
Thayer, J. E., with Bangs, Outram, and Allen, G. M., review of their "notes on the birds and mammals of the Arctic coast of East Siberia," 236
Thrasher, Bendire, 156, 213
California, 4, 11
Crissal, 210
Curve-billed, 189, 215
Leconte, 219
Palmer, 156, 158, 213
Pasadena, 221
Sage, 29, 92, 194, 198
Sennett, 183
Thrush, Alaska Hermit, 80
Alaska Water, 231
Audubon Hermit, 22, 159
Dwarf Hermit, 83

Gray-cheeked, 237
Grey-bellied Red-legged, 150
Hermit, 19, 154
Monterey Hermit, 232
Russet-backed, 80, 227
Sierra Hermit, 28, 34, 182
Varied, 22, 80, 163, 200
Thryomanes bewicki calophonus, 80
bewicki spilurus, 226
Tiaris canora, 145, 149
Tit, Bridled, 214
Titmouse, Black-crested, 216, 218
Chestnut-backed, 86
Plain, 11, 12
San Diego, 81
Tufted, 152
Todus multicolor, 148
Tody, Cuban, 148
Tolmarchus caudifasciatus, 148
Totanus flavipes, 171
melanoleucus, 25, 168
Towhee, Abert, 210
Anthony, 94
California, 11, 225
Canyon, 156
Green-tailed, 194, 198
Oregon, 78
Spurred, 201
Toxostoma bendirei, 213
crissale, 210
crissale palmeri, 213
lecontei, 219
redivivum pasadenense, 221
Trochilus alexandri, 13
Trogon, Cuban, 147
Troglodytes aedon parkmani, 29
mexicanus, 13
Troupial, Red and White-winged, 10
Turkey, Water, 24
Wild, 186
Turnstone, 155
Tyler, John G., the belted kingfisher wintering in Fresno County, 86; migration and field notes from Fresno County, California, 167; some birds of the Fresno district, California, supplementary notes, 194
Tyrannula nigricans, 12
saya, 12
Tyrannus tyrannus, 27, 162
verticalis, 27, 169, 212, 224
vociferans, 27, 128

U

Uria troille californica, 222

V

Veery, 214
Verdin, 129, 156, 218
Vermivora celata lutescens, 79, 225
luciae, 157, 212
rubricapilla gutturalis, 22, 86
Vireo, Anthony, 79
Arizona Least, 212
Cassin, 79
Gray, 156, 157, 158, 160
Hutton, 12, 29, 225
Least, 233
Warbling, 228
Western Warbling, 79, 181, 194, 198
Vireo belli arizonae, 212
huttoni huttoni, 29, 225
huttoni obscurus, 79
vicinior, 157
Vireosylva gilva swainsoni, 79, 181, 194, 198
Vulture, California, 4
Great, 10
Turkey, 75, 130, 152, 183, 210, 216

W

Walker, Alexander, some raptores of Douglas County, South Dakota, 130
Warbler, Audubon, 8, 79, 163, 225
Black-fronted, 160
Black-throated Green, 185, 218
Black-throated Grey, 8
Blackburnian, 218
Calaveras, 86
California Yellow, 79
Chestnut-sided, 189
Golden Pileolated, 79
Hermit, 8, 79
Lucy, 157, 160, 212
Lutescent, 79, 169, 225
McGillivray, 8, 79
Mourning, 228
Olive, 160
Orange-crowned, 6, 129
Parula, 151
Pileolated, 163
Red-faced, 160
Tolmie, 123, 124, 125, 126, 127
Townsend, 8, 79
Worm-eating, 228
Yellow, 190, 191, 215
Water-thrush, Alaska, 231
Waxwing, Cedar, 79
Weaver, Blood-billed, 39
Orange Bishop, 39
Wetmore, Alexander, the speed of flight of certain birds, 112
Widgeon, 129
European, 39
Wilder, H. E., some distributional notes on California birds, 127; Humboldt County bird notes, 204
Wiley, Leo, bird notes from Palo Verde, Imperial County, California, 230

Willard, F. C., nesting of the band-tailed pigeon in southern Arizona, 110; on bicycle and afoot in the Santa Catalina Mountains, 156; notes on the golden eagle in Arizona, 200
Willet, 155, 188
Western, 102, 103, 110, 223
Wilsonia pusilla pileolata, 163
Woodpecker, Alaska Three-toed, 86
Alpine Three-toed, 162
Ant-eating, 228
Arctic Three-toed, 162
California, 7
Cuban Green, 147
Cuban Ladder-backed, 147
Gairdner, 76
Golden-fronted, 189, 214
Harris, 76
Ladder-backed, 7
Lewis, 5
Northern Pileated, 32, 76, 162
Nuttall, 11
Red-bellied, 185
Rocky Mountain Hairy, 162
Texas, 189, 215
White-headed, 12
Yellow-bellied, 4
Wren, Auburn Canyon, 29, 33, 82
Bewick, 215
Cactus, 156, 175, 213, 215
Canyon, 152
Carolina, 151
Dotted Canyon, 22, 33, 82, 194, 198
Long-billed Marsh, 19
Marsh, 16, 18
Ridgway Canyon, 83
Rock, 6, 80
Seattle, 80
Short-billed, 20
Tule, 19, 20, 107, 226
Vigors, 226
Western House, 29
Western Winter, 80, 163
Wren-tit, 11, 12, 94
Coast, 80
Intermediate, 65
Wyman, L. E., early nesting of lutescent warbler in Los Angeles County, 169; notes from the vicinity of Los Angeles, 203
Wythe, Margaret W., nesting of the Tolmie warbler in Yosemite Valley, 123

X

Xanthocephalus xanthocephalus, 34, 209
Xema sabini, 24
Xiphidiopicus percussus, 147

Y

Yellowlegs, 15, 155, 183
Greater, 25, 168, 186, 188
Lesser, 186, 188
Yellowthroat, Maryland, 20, 151, 187
Pacific, 79
Salt Marsh, 226
San Francisco, 225
Western, 162

Z

Zamelodia ludoviciana, 81
melanocephala, 78
Zenaidura macroura marginella, 210
Zenaida zenaida, 147
Zonotrichia albicollis, 29
coronata, 30, 78
leucophrys leucophrys, 28
leucophrys nuttalli, 78